

# TECHMAGRI

## PROGRAM



2 Grande Rue - 10 140 AMANCE  
FRANCE

☎ : +33 (0)3 25 41 37 59

✉ : [contact@techmagri.com](mailto:contact@techmagri.com)

🌐 : [www.techmagri.com](http://www.techmagri.com)



# DRILLS

## Contour Range

### T-SEM CONTOUR

#### Direct seeder with tines under cover

- Individually unit with ground following
- Drill coulter Inversed "T"
- Ajustable openers discs
- 2, 3 or 4 hoppers



Fixed : 3.00 / 3.50 m

Foldable : from 5.60 to 8.40m

### SAMOURAI CONTOUR

#### Simplified seed drill (TCS)

- Independent elements with controlled earthing
- Rear press wheels
- Front control wheels
- With or without hopper



Fixed : 3.00 m

Foldable : from 5.60 to 12.00 m

# TECHMAGRI

# STRAW HARROW SUBSOILERS

**CULTIMULCH**

## Straw harrow with 6 rows of tines

- False seeding
- Stubble ploughing
- Distribution of residues
- Mechanical weeding

Mounted : 7.20 - 8.10 m

Trailed : 12.20 m



## PROFILBOOST

## Subsoiler with 3 rows of tines



- 3 rows of Michel tines
- Work from 15 to 30 centimeters
- Safety bolts

Fixed : from 3m to 4m

Foldable : 4.80m / 5.40m

\*Options :

Roll DISCOTWIN, Roll STEELPACK,  
Harrow FLEXMULCH

✉ : [contact@techmagri.com](mailto:contact@techmagri.com)

🌐 : [www.techmagri.com](http://www.techmagri.com)

# DISC TILLER STONE PICKER




## DISCOCROP 2000

Mounted: from 3.00 to 6.00 m

Foldable : from 5.00 to 7.00 m

### Disc Tiller with independent discs

- Ø510x6 of discs
- maintenance-free bearings 
- Roll PIPEROLLER / SPRINGFLEX / STEELPACK
- Hydraulic depth adjustment

## KIVI PEKKA



### The stone picker KIVI-PEKKA

The stone picker KIVI PEKKA is a Finnish machine designed for picking up stones, in all types of soils. With rake and hopper for independent work.

From 4.00 to 7.00 m

☎ : 03.25.41.37.59

📍 : 2 Grande Rue, 10 140 AMANCE

# ROLLED



Cambridge Ø520



Ondulé Ø500

Length : from 6 to 12 m

## MAXIROUL



### Freestanding Rolled horizontal folding

- Cambridge discs Ø520 or Ondulé Ø500

## MAXITASS

### Heavy front cup with cast iron discs

- Packer compacting discs Ø60 or Blade discs Ø70
- High elastic limit steel shaft (Ø60)
- Self-aligning bearings with grease nipples.



Compacting discs Ø60



Blade discs Ø60

\*Option :  
Front tiller CULTIPOUSS

✉ : [contact@techmagri.com](mailto:contact@techmagri.com)

🌐 : [www.techmagri.com](http://www.techmagri.com)

# TECHMAGRI



**2 Grande Rue - 10 140 AMANCE  
FRANCE**

**☎ : +33 (0)3 25 41 37 59**

**☎ : +33 (0)3 25 41 41 40**

**✉ : [contact@techmagri.com](mailto:contact@techmagri.com)**

**🌐 : [www.techmagri.com](http://www.techmagri.com)**

Follow TECHMAGRI on :

