

GDS HOOFCARE CRUSH

ELECTRIC



- *Easy to operate*
- *Sturdy and durable*
- *Ideal working conditions*



Visit our webshop: www.gds-hoofcare.com




ELECTRIC GDS HOOFCARE CRUSH


This crush has been developed for dairy farms with a larger herd and with a set location where the cow's hooves are trimmed. This galvanized stationary crush has nearly the same possibilities as a professional crush at a fraction of the cost. It is also an ideal crush for farms with robotic milking as other tasks like drying off cows, udder singeing etc, can all be performed in this crush.



THE CRUSH IS EQUIPPED WITH THE FOLLOWING ITEMS:

- Self-locking yoke, cow closes the yoke by itself. No need to pull a rope or push a button at the right moment, with the chance of the animal escaping. Yoke opens outwards.
- 5 x 220 volt electro motors; both front footrests, the wide bellyband(2x) and the hind leg hoist all have electro motors. Each motor can be operated where needed.
- Mechanical rear bar that fixes the hind foot securely. The animal can't kick and it's safer to use a grinder and easier to glue a block on. Rear bar fits all cows and is manually ratcheted into position. Opens automatically.
- Crush also features a rear chain, which means it can also be used for other routine jobs, such as AI and vet inspections.
- Two double hinged gates on each side of the crush help getting the cows in the crush.





FLOOR

The floor is of checker plate to prevent the slipping of the cow as much as possible. At the rear, the box is widened in order to ensure that the cow will less quickly step besides the crush. This way the cow will be unable to throw the crush on it's side. The cow stands on a raised floor so that the trimmer can work standing upright. To ensure that the crush is always stable one leg is adjustable.

SWING OVER TOOL CARRIER

The latest model is standard equipped with a grinder holder/swing arm that rotates around the crush. This arm has an attached Led light so one always has good light on the trimming It is also equipped with 3 electricity sockets (grinder, heater, clippers), a small tool tray and a can holder.

POSSIBLE OPTIONS:

- Set of transport wheels.
This crush can be best used in a fixed position, due to its weight of 580 kilograms, additional set of wheels to move the crush can now be bought, however.
- Rubber mat to give the cow extra grip.
- Additional fixation back bar.
- Hydraulically operated rear bar.



MEASUREMENTS

- Length: 190 cm
- Width outside: 135 cm
- Width inside: 72 cm
- Height outside: 225 cm
- Height inside: 167 cm
- Weight: 580 kgs



YouTube

www.youtube.com/watch?v=iTIEViAs2C4

GDS HOOF CARE

Voerdijk 5, 5089 PB Haghorst

The Netherlands

t. +31 (0) 135 044 941

f. +31 (0) 135 044 942

info@gds-hoofcare.com

www.gds-hoofcare.com

