



Unifeed Line

Your specialist in livestock feeding



TMR Mixers & Automatic Systems
for livestock feeding

SAMURAI 7

Trailed version for tractor coupling



SAMURAI 7		400/50	450/70	450/90	450/110	500/110	500/130	500/150	500/170	600/180	600/210	600/230	600/250	650/270	700/330
Capacity	m ³	5	7	9	11	11	13	15	17	18	21	23	25	27	33
Required Power	KW	22	30	37	44	44	51	59	66	66	74	81	81	118	165

SAMURAI 7

Trailed version for tractor coupling with Silage Tiller



SAMURAI 7		450/75	450/95	450/115	500/115	500/135	500/155	500/175	600/185	600/215	600/235
Capacity	m ³	7	9	11	11	13	15	17	18	21	23
Required Power	KW	37	44	51	51	59	66	74	74	83	89

An extraordinary machine offering reliability, total quality and incomparable performance, as well as great increase in productivity and drastic reduction of typical bovine diseases thanks to the short and homogeneous cut and perfect mixing, over 99%. Last but not least, cost reduction for half processing times with reduced power.

ELEPHANT

Self-propelled 4-wheel version with cabin and silage cutter

*New generation
with rear engine,
powerful,
manoeuvrable and
safe.*

*Simple and
intuitive in use
and service.
Full Reliability
and superior
performances.*



ELEPHANT		VML 165	VML 185	VML205	VML 225	VML 245	VML 285
Capacity	m ³	16	18	20	22	24	28
Engine	KW	140 Stage 5	140 Stage 5	140 Stage 5	140 Stage 5	168 Stage 5	168 Stage 5

LEOPARD 4W SELF

4-wheel self-propelled vehicle with cab or driving seat

*This series of
self-propelled
machines,
created to
provide maximum
productivity and
lower operating
costs, guarantees
the farmer safe
results and a
rapid return on
investment.*



LEOPARD 4W SELF		500/110	500/130	500/150	500/170
Capacity	m ³	11	13	15	17
Diesel Engine	KW	90 Stage 5	90 Stage 5	90 Stage 5	90 Stage 5

SAMURAI 7 TM

Truck-Mounted

Available in the 13-15-21-23-25 m³ versions, it was designed to be fixed on approved road trucks. Particularly suitable for cooperatives that use shared products and for all farms that have separate stables and need to be served quickly from a single distribution center.



SAMURAI 7 TM		500/130	500/150	600/210	600/230	600/250	650/270	700/330
Capacity	m ³	13	15	21	23	25	27	33

SAMURAI 7 WET FEED

Machines particularly suitable for cutting and mixing wet and doughy products, with flat and continuous counterblades instead of toothed counterblades.



SAMURAI 7 WET FEED		500/110	500/130	500/150	500/170
Capacity	m ³	11	13	15	17
Required Power	KW	44	51	59	66

TIGER V2/VMF

Safety and reliability are the qualities that distinguish these truly unique machines for their extraordinary load capacity and excellent work quality. Ideal for medium and large-sized farms, they guarantee rapid and perfect food processing.



TIGER V2 VMF		VMF 120 VMD 120	VMF 140 VMD 140	VMF 160 VMD 160	VMF 200 VMD 200	VMF 200T VMD 200T	VMF 240 VMD 240	VMF 240T* VMD 240T	VMF 300* VMD 300
Capacity	m ³	12	14	16	20	20	24	24	30
Required Power	kW	59	66	74	81	81	118	118	147

BUFFALO V1/VMS

Single-auger cutter-mixers, thanks to their particularly low structure, make both loading operations and maneuverability within the company easy. These totally efficient and reliable machines fully satisfy the needs of small and medium-sized companies, guaranteeing excellent work performance.



BUFFALO V1 VMS		VMS 70	VMS 90	VMS 110
Capacity	m ³	7	9	11
Required Power	kW	37	44	51

PONY 3W ME SELF

3 Wheels self-propelled version with electric motor



PONY 3W ME SELF		450/70 200volt	450/70 230volt	450/70 400volt	450/90 200volt	450/90 230volt	450/90 400volt	450/110 200volt	450/110 230volt	450/110 400volt
Capacity	m ³	7	7	7	9	9	9	11	11	11
Motor for augers	KW	15	15	15	18	18	18	22	22	22

The best and most reliable electrically controlled, zero-emission machine for feeding modern stables with a direct feed line. Low power absorption compared to the capacity and size of the machine with total reliability and durability.

SEKO FARM MANAGEMENT

for weighing systems



APP-based power management system (Android)

TIGER V2 ME/VMS-VML TIGER V2 ME/VMF-VMD

Stationary version with electric motor



TIGER V2 ME		VMS 120	VMS 140	VMS 160	VMS 200	VMS 240	VMS 300	VMF 120	VMF 140	VMF 160	VMF 200	VMF 240	VMF 300
		VML 120	VML 140	VML 160	VML 200	VML 240	VML 300	VMD 120	VMD 140	VMD 160	VMD 200	VMD 240	VMD 300
Capacity	m ³	12	14	16	20	24	30	12	14	16	20	24	30
Electric motor	kW	37	55	55	90	90	132	37	55	55	90	90	132

SAMURAI 7 ME

Stationary version with electric motor



SAMURAI 7 ME		400/50	450/70	450/90	450/110	500/110	500/130	500/150	500/170	600/180	600/210	600/230	600/250	650/270	700/330
Capacity	m ³	5	7	9	11	11	13	15	17	18	21	23	25	27	33
Electric motor	kW	15	30	30	30	37	37	55	55	90	90	90	90	132	160



Our series of stationary chopper-mixers with electric motor, both horizontal and vertical, represents the ideal solution for automated production processes and finds particular use in industrial installations dedicated to the preparation of feed for livestock use. It offers the possibility of remote management, via PLC, through the electronic control panel supplied on request. The low level of noise emissions coming from both the engine and the shredding and mixing apparatus makes this version ideal for use in any environment. Also available with Diesel engine.



SEKO INDUSTRIES SRL

Via Gorizia, 90
35010 Curtarolo (PD) • Italy
Ph. +39 049 9699888
Fax +39 049 9620403
info@sekoindustries.com
www.sekoindustries.com



Quality System
Nr. 50 100 14335



DEALER

