

VENTILATED COLD REFRIGERATED SHEATHED WORKSTATIONS




POSITIVE STORAGE

ILY VENTILATED VORKSTATION N THE MARKET

VENTILATED COATED AIR





NON DIRECT AIR FLOW AND VENTILATED COATED AIR

for homogeneous tempertures and better protection of finished products

OPTIONS

- Multi-purpose angles
 - 400x600mm and
 - GN 360x560mm







POSITIVE STORAGE

THE PANEM ASSETS









- STAINLESS STEEL SCREW JACKS
- DELIVERED DISMANTLED
- Automatic re-evaporation tank of defrosting waters



- Inside and outside STAINLESS STEEL preventing any risk of corrosion
- Removable layout



- Largest capacity on the market:
 10 LEVELS OF SUPPORT PER DOOR
- Space between supports of 63mm



Evaporator positioned outside the storage space, guaranteeing **NON-DRYING COLD**

OUR REFERENCES AND EXTERNAL DIMENSIONS

SUPPORTS	REFERENCES	CAPACITY	CONDENSING UNIT	W (mm)	D (mm)	H (mm)
400 x 600 mm	BE2PVL	20 SUPPORTS	INCORPORATED	1580	790	910
	BE3PVL	30 SUPPORTS	INCORPORATED	2120	790	910
	BE4PVL	40 SUPPORTS	INCORPORATED	2660	790	910
	BE2PVS	20 SUPPORTS	SEPARATED	1580	790	910+/-30
	BE3PVS	30 SUPPORTS	SEPARATED	2120	790	910+/-30
	BE4PVS	40 SUPPORTS	SEPARATED	2660	790	910+/-30
	BE5PVS	50 SUPPORTS	SEPARATED	3200	790	910+/-30

PANEM INTERNATIONAL SAS
ZA - 34 Allée des Grands Champs
79260 LA CRECHE
00 33 5 49 25 50 04
www.panem.fr
panem@panem.fr

